

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(locks with partions) and locks.ab.	USPAT	OR	OFF	2004/04/26 11:33
S2	2285	locks with partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 11:34
S3	802	locks near3 partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:23
S4	11	(locks near3 partition) and (optimiz\$ near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 11:55
S5	4	((locks near3 partition) and (optimiz\$ near3 locks)) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:23
S6	26	(locks near3 partition) and ((requirement criteria configuration) near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 11:59
S7	23	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 11:56
S8	14	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929") and global and local	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:22
S9	1	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929") and ((global and local) near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 11:56
S10	5	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and ((creat\$3 set\$4) near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 12:40

S11	1	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and ((creat\$3 set\$4) near3 locks)) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 12:40
S12	0	((locks near3 partition) and ((requirement criteria configuration) near3 locks)) and @ad<="20000929") and global and local and (determin\$3 near3 petition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:27
S13	6	(determin\$4 near4 petition) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:50
S14	4737	determin\$4 near4 partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:27
S15	3306	(determin\$4 near4 partition\$3) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:38
S16	64	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:28
S17	2	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:30
S18	11	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:47
S19	5	((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3) and local and global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:40

S20	2	(((((determin\$4 near4 partition\$3) and @ad<="20000929") and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3) and local and global) and (determin\$3 with method\$5 with partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:42
S21	0	(determin\$3 with methodology with partition\$3) and locks and global and local	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:43
S22	1	(determin\$3 with methodology with partition\$3) and locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:43
S23	17	((determin\$3 how) near3 partition\$3) and (modif\$6 near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:48
S24	12	(((((determin\$3 how) near3 partition\$3) and (modif\$6 near3 lock\$3)) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:52
S25	5027	(partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:54
S26	5	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:54
S27	0	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 petition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:56
S28	0	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 with petition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:56
S29	31	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:56

S30	1	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 partition\$3)) and (modif\$4 near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:24
S31	555	optimiz\$3 near3 lock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:38
S32	375	(optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:26
S33	329	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:26
S34	202	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:26
S35	0	((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and g06f.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:26
S36	88	((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:27
S37	7	(((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:31
S38	6	((((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.) and 718/1-108.ccls.) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:33
S39	7	((((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<="20000929") and 7\$/\$. ccls.) and 718/1-108.ccls.) and code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:33

S40	65	(optimiz\$3 near3 lock\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:45
S41	5	((optimiz\$3 near3 lock\$3).ab.) and lock\$3 and partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:42
S42	689	(optimiz\$3 and lock\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:42
S43	20	((optimiz\$3 and lock\$3).ab.) and lock\$3 and partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:42
S44	24	(partition\$3 and lock\$3).ab. and (contention optimiz\$6) and 7\$/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:47
S45	6	(partition\$3 and lock\$3).ab. and (lock\$3 with (contention optimiz\$6)) and 7\$/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:49
S46	11	((reduc\$3 minimiz\$3 optimiz\$6) near3 (contention locks)).ab. and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:50
S47	8	((((reduc\$3 minimiz\$3 optimiz\$6) near3 (contention locks)).ab. and 718/1-108.ccls.) and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:54
S48	1	(((((reduc\$3 minimiz\$3 optimiz\$6) near3 (contention locks)).ab. and 718/1-108.ccls.) and @ad<="20000929") and partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 16:50
S49	0	optimiz\$6 with partition with locks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 11:53

S50	2	optimiz\$6 same (partition with locks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 12:12
S51	0	(optimiz\$6 same (partition with locks)) and contention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 12:13
S52	4	((minimiz\$6 reduc\$3 optimiz\$6) near3 contention) same (locks with partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 16:59
S53	1	("5193204").PN.	USPAT; USOCR	OR	OFF	2004/04/30 17:24
S54	1	("6023753").PN.	USPAT; USOCR	OR	OFF	2004/04/30 17:55
S55	1	("6219776").PN.	USPAT; USOCR	OR	OFF	2004/05/02 08:45
S56	1	("5826081").PN.	USPAT; USOCR	OR	OFF	2004/05/02 08:45
S76	58	((performance contention) near3 lock\$4) with (acceptable threshold success\$4 allowable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:38
S77	33	S76 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:55
S78	12	((performance contention) near3 lock\$4) with (acceptable threshold success\$4 allowable) with (determin\$4 evaluat\$4 track\$4 monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:42
S79	6	S78 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:43
S80	1	((performance contention) near3 lock\$4) with (fail\$4 unsuccess\$4) with (repeat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:43

S81	327	lock\$4 with (fail\$4 unsuccess\$4) with (repeat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:49
S82	158	S81 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:50
S83	107	S82 and lock\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:44
S84	7	S83 and partition\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:44
S85	4	lock\$4 with performance with (fail\$4 unsuccess\$4) with (repeat\$4 retry\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:50
S86	2	S85 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:50
S87	2	(lock\$4 near3 performance) with (fail\$4 unsatisfactory unsuccess\$4) with (repeat\$4 retry\$4 return\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:53
S88	173	optimiz\$4 with lock\$3 with performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:55
S89	20	(optimiz\$4 with lock\$3 with performance).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:55

S90	9	S89 and @ad<="20000929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:56
S91	4	S90 and ((evaluat\$4 determin\$4 monitor\$4 track\$4) with (performance lock\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:57